





# **PRODUCT LINE PROFILE Transport Essentials**





### **TRANS CLEAN**

Acid Train Wash Cleaner

2544

- Concentrated acid water-based cleaner
- Quickly removes brake dust build-up and other soils from train
- Cleans under carriages, wheels and components
- Safe on aluminum, steel, glass and paints
- Phosphate and silicate free
- Easy to apply by brush, mop or spray
- Biodegradable
- Dilution: up to 5%
- Acidity (%):  $10.3 \pm 0.3$





A-2544 TRANS CLEAN 25L / 205L













#### DESCRIPTION

TRANS CLEAN is a water-based organic acid cleaner specifically designed for removing brake dust build-up and other soils from train under carriages, wheels and other aluminum components.

#### APPLICATION

TRANS CLEAN is widely used for train cleaning where brake dust is highly prominent.

#### PRODUCT BENEFITS

- Safe on aluminum, steel, glass and good quality paints and lacquers if used as recommended
- Safer than conventional wheel cleaners
- Contains no phosphates, silicates, or heavy metal salts
- Very cost effective
- Biodegradable surfactants

### PHYSICAL PROPERTIES

Appearance	Clear liquid
Colour	Straw
Specific Gravity @ 20°C	1.110 ± 0.01
pH (5% soln)	2.73 ± 0.2
Flash Point	Non-flammable

#### DIRECTION FOR USE

Dilute 1 part of **TRANS CLEAN** to 3-10 parts of water for heavy soils, dilute up to 20 parts of water for routine cleaning.

Apply by brush, mop or spray.

Allow to dwell for about two minutes.

Rinse with high pressure or brush while water rinsing.

ORAPI APPLIED (S) PTE LTD

No 26 Tuas Avenue 23 Singapore 638992 Tel: 465 6365 2888 Fax: 465 6368 6474 Inquiries: sin.sales@orapi.com.sg Web Site: www.orapiasia.com TDS A-2544 / 002 - 28/04/2017

The ORAPI Group designs, manufactures and markets, Technic Solutions for Professional Hyglene and Industrial Maintenance. T Group is Risted on NYSE Euronext and represented in over 1







### **TRANS CLEAN AK**

4936

Alkaline Automatic Train Wash

- Heavy duty alkaline detergent with corrosion inhibitors
- Safely cleans and degreases train bodywork
- Removes traffic film, grease and soiling
- Suitable for use with automatic pressure cleaning machine
- Safe on painted plastic, glass and metal surfaces
- Dries without residue stains
- Dilution: up to 3%
- pH (10%): 11.3





A-4936 TRANS CLEAN AK 25L / 205L









#### DESCRIPTION

TRANS CLEAN AK is a heavy duty alkaline detergent formulated to be used in pressure cleaning machines, for the removal of traffic film, grease and general soiling from train bodywork.

Train Wash Detergent

TRANS CLEAN AK

TRANS CLEAN AK contains a balanced blend of detergents, sequestrants and alkalis carefully selected to prevent dulling or damage of paintwork.

#### APPLICATIONS

TRANS CLEAN AK is designed for train wash applications and may be used on painted plastic, glass and metal surfaces.

Care should be taken however, with highly polished aluminum or alloy surfaces as TRANS CLEAN AK, in common with all alkaline products, may etch these materials.

TRANS CLEAN AK should not be used on newly painted or re-sprayed vehicles unless the paint has been aged according to the manufacturer instructions.

#### PRODUCT BENEFITS

- Safe on all exterior surfaces and paints.
- Can be used as a single product for most exterior cleaning applications.
- Suitable for automatic pressure machine
- Water dilutable cost effective
- Dries residue free.
   Biodegradable surfactants.

#### PHYSICAL PROPERTIES

Appearance	Liquid
Colour	Clear Yellow
Specific Gravity @ 20°C	1.035 ± 0.005
pH (NEAT)	12.1 ± 0.3
Elach Point	Non flammable

ORAPI APPLIED (S) PTE LTD

No 26 Tuas Avenue 13 Singapore 638992 Tel: +65 6265 2888 Fax: +65 6268 6474 Inquiries: sin.sales@orapi.com.sg Web Site: www.orapiasia.com TDS A-4936 / 003 -13/06/2017

The ORAPI Group designs, manufactures and markets, Technic, Solutions for Professional Hygiene and Industrial Maintenance. The Group is listed on NYSE Euronext and represented in over 18 countries. ORABI is resident ISO 0001 and 14001.



A-4936





### **FLEETCLEAN A**

4049

Automatic Vehicle Exterior Wash

- High foaming detergent with corrosion inhibitor
- Effective and effortless removal of dirt, greases and soils
- Designed for automatic washing of trucks and buses
- Safe on all surfaces, paintwork and chrome
- Easy to apply by high or low pressure units
- Non-flammable
- Dilution: up to 0.2%
- $^{\odot}$  pH: 6.0 ± 1







A-4049 FLEETCLEAN A 25L / 205 L







Technical data sheet

**FLEETCLEAN A** 

Automatic Vehicle Washing Detergent

A-4049





#### DESCRIPTION

FLEETCLEAN A is a strong, heavy duty detergent designed specifically to remove dirt, soils, and road stains from trucks, cars, buses etc.

In fact wherever a motor vehicle needs to be cleaned, FLEETCLEAN A will give you the best results.







FLEETCLEAN A is ideal for use in the transport industry, bus lines, car sale yards, car rentals, etc.

FLEETCLEAN A can also be used as a general-purpose detergent cleaner because it is safe on all surfaces.

#### PRODUCT BENEFITS

- Quickly removes all dirt and stains.
- Longer surface contact than other cleaners.
- More efficient cleaning power.
- Safe on all surfaces.
- Will not attack paintwork or chrome.
- Ideal motor vehicle cleaner.

#### PHYSICAL PROPERTIES

Appearance	Liquid
Colour	Clear / bright
Specific Gravity	1.065 - 1.075
Ha	50-70

ORAPI APPLIED (S) PTE LTD

No 26 Tuas Avenue 13 Singapore 638992 Tel: +65 6265 2888 Fax: +65 6268 6474 Inquiries: sin.sales@orapi.com.sg

TDS A-4049 / 003 - 03/07/2017

The ORAPI Group designs, manufactures and markets, Technical Solutions for Professional Hygiene and Industrial Matthewaree. The Group is Island on NYSE Euroneet and represented in over 160 countries. ORAPI is certified ISO 9001 and 14001.







### **FLEETCLEAN M**

4045

Manual Vehicle Exterior Wash

- High foaming detergent with corrosion inhibitors
- Designed for manual washing of trucks and buses
- Quickly removes dirt, grease, soil and road traffic films
- Safe on all surfaces, paintwork and chrome
- May be applied with sponge, brush or high pressure equipment
- Leaves a streak-free finish
- Dilution: 5% to 10%
- $pH: 7.5 \pm 0.5$





A-4045 FLEETCLEAN M 25L / 205 L









### FLEETCLEAN M Manual Vehicle Washing Detergent

A-4045



#### DESCRIPTION

FLEETCLEAN M is a strong, heavy-duty detergent designed specifically for manual washing, to remove dirt, soils, and road stains from trucks, cars, buses etc.

In fact wherever a motor vehicle needs to be cleaned, FLEETCLEAN M will give you the best results.

#### APPLICATIONS







FLEETCLEAN M is ideal for use in the transport industry, bus lines, car sale yards, car rentals, etc.

FLEETCLEAN M can also be used as a general-purpose detergent cleaner because it is safe on all surfaces.

#### PRODUCT BENEFITS

- · Quickly removes all dirt and stains.
- Easy to use.
- Longer surface contact than other cleaners.
- More efficient cleaning power.
- Safe on all surfaces.
- Will not attack paintwork or chrome
- Ideal motor vehicle cleaner.

#### PHYSICAL PROPERTIES

Appearance	Liquid
Colour	Clear / bright
Specific Gravity	1.037 - 1.057
pH ( 1 % solution)	7.0 - 8.0

TDS A-4045 / 003 - 03/07/2017

1

The ORAPI Group designs, manufactures and markets, Technica Solutions for Professional Hypiene and Industrial Maintenance. The Group is Insted on NYSE Euronext and represented in over 18 countries. ORAPI is certified ISO 9001 and 14001.







## **COMPONENT OVERHAUL**

### **LIQUIKLEEN HA**

5851

Alkaline Immersion Renovator

- Concentrated alkaline liquid for use in immersion tank
- Removes rust, grease, oil and heat modified carbon deposits
- Effectively degreases engine blocks, brake pads and components
- Eliminates the need for laborious hand scraping
- Can be used to remove photoresist from zinc plates
- Economical
- Dilution: 100ml/L of water





A-5851 LIQUIKLEEN HA 25L







Alkaline Immersion Renovator

5851

DESCRIPTION

LIQUIKLEEN HA is designed for removing particularly tenacious contaminations such as carbon and heat modified carbon deposits, rust, grease, oil surface coatings including acrylics, photo-resist and food

When removing photo-resist from zinc plates, a brief soak in LIQUIKLEEN HA solution eliminates the need for laborious hand scarping.

#### **APPLICATIONS**

LIQUIKLEEN HA easily removes carbon deposits from glass moulds and as a paint stripper it copes effectively with a wide variety of surface coatings - many of which previously only responded to high-cost and

LIQUIKLEEN HA does not produce dimensional changes in steel objects being processed. Nor it cause hydrogen embrittlement.

LIQUIKLEEN HA can be used for engine blocks, brake pads and various components.

#### PRODUCT BENEFITS

- · Removing photo-resist from zinc plates
- Cleaning glass moulds
- Stripping paint
- Engine block cleaning.
- · Removing rust, grease etc

#### PHYSICAL PROPERTIES

Appearance	Liquid
Colour	White
Odour	Mild Amine
Specific Gravity @ 20°C	1.085 - 1.095
pH	

#### DIRECTION FOR USE

#### Removal Of Rust, Grease And Similar Soils From Meat Hooks, Food Equipment, Etc -

Use at 100 - 200 ml/liter at 85 - 95°C for between 5 minutes and 2 hours, depending on the degree of contamination. No need to use acid in most instances.

#### Removal Of Photo-Resist From Zinc Plates

Use at 100gm/litre at over 90C for about 2 - 3 minutes. Paint removal - Use at 100 - 200 ml/L at a temperature of around 95°C. Time of immersion depend on age and type of paint.

ORAPI APPLIED (S) PTE LTD

TDS A-5851 / 002 -09/06/2017

CORPORA FOUNDATION

No 26 Tuas Avenue 23 Singapore 638992 Tel: +65 6265 2888 Fax: +65 6268 6474 Inquiries: sin.sales@orapi.com.sg Web Site: www.orapiasia.com





### **COMPONENT OVERHAUL**

### **MAGNUS 921X3**

Multi-Metal Spray Wash Powder

7921

- Versatile alkaline cleaner for trains and trucks components
- Provides short term corrosion protection when cleaned surfaces are not rinsed
- Formulated for spray washer applications at all temperatures
- Effectively degreases ferrous, aluminium alloys and non-ferrous parts
- Contains rust inhibitors
- Low foam for use in Barrel / Vibratory? Deburring operations
- Biodegradable
- Dilution: 0.5-3% / L at 26-83oC (non ferrous at 73oC 0.5-2.2%) pH(1%):  $12.0 \pm 0.5$



M-7921 MAGNUS 921X3 50kg / 205kg







MAGNUS 921X3 M-7921

#### DESCRIPTION

MAGNUS 921X3 is specially formulated powdered alkaline cleaner for use in spray washers at all temperatures (80F to 180F).

MAGNUS 921X3 is multi-metal safe and will afford short term rust protection to ferrous metal when cleaned surfaces are not rinsed. It is a white non-dusting granular mixture of alkalis, phosphates, rust inhibitors and low wetting agents.

#### PRODUCT BENEFITS

- Versatile : Can be used on most metals
- Removes a wide variety of soils
- Effective as a high or low temperature cleaner
- Stable in hard water
- Economical: Low use cost Long solution life
- Features anti-rust properties
- Aggressive cleaning action
- Biodegradable
- Effective on a wide range of soils
- Helps remove rosin-based oils without foaming

#### PHYSICAL PROPERTIES

Appearance	Granular powder			
Colour	White			
pH (1% Solution)	11.8 -12.0			
Hard water Stable	Readily soluble in warm water at	all		
	recommended concentrations			

Rust Protection Date: Provides up to 500 hours in 100% controlled humidity on polished 10-10 steel coupons. This equivalent to 30 days indoor storage. Controlled humidity refers to non-condensate formation on the control panel.

#### DIRECTION FOR USE

MAGNUS 921X3 is used at 14.2 - 56.8g (0.5% - 3.0%) per gallon of water at temperatures varying between 80F to 180F (26°C to 83°C). Process time varies depending on design of your spray washer, soil load and water conditions.

ORAPI APPLIED (S) PTE LTD No 26 Tuas Avenue 13 Singapore 638992 Tel: +65 6265 2888 Fax: +65 6268 6474 Inquiries: sin.sales@orapi.com.sg Web Site: www.orapiasia.com

TDS M-7921 / 002 - 02/05/2017

1/2

ORAPI Hygiene is life





### WE ARE PROUD TO SERVICE



















**COMFORTDELGRO** 











national express

